

DESCRIPTION	DIMENSIONS				MASS PER METRE	Lengths			
						Available (see note)			
						6	9	11	13
Metres									
Mild Steel Flat Bar	12	x	3		0.29	X			
Mild Steel Flat Bar	16	x	3		0.39	X			
Mild Steel Flat Bar	20	x	3		0.48	X			
Mild Steel Flat Bar	20	x	5		0.79	X			
Mild Steel Flat Bar	20	x	6		0.94	X			
Mild Steel Flat Bar	20	x	8		1.26	X			
Mild Steel Flat Bar	20	x	10		1.57	X			
Mild Steel Flat Bar	25	x	3		0.60	X			
Mild Steel Flat Bar	25	x	5		0.98	X			
Mild Steel Flat Bar	25	x	6		1.18	X			
Mild Steel Flat Bar	25	x	8		1.57	X			
Mild Steel Flat Bar	25	x	10		1.96	X			
Mild Steel Flat Bar	25	x	12		2.36	*	X		
Mild Steel Flat Bar	30	x	3		0.72	X			
Mild Steel Flat Bar	30	x	5		1.18	X			
Mild Steel Flat Bar	30	x	6		1.41	X			
Mild Steel Flat Bar	30	x	8		1.88	X			
Mild Steel Flat Bar	30	x	10		2.36	X			
Mild Steel Flat Bar	30	x	12		2.83	*	X		
Mild Steel Flat Bar	35	x	5		1.37	X			
Mild Steel Flat Bar	40	x	3		0.97	X			
Mild Steel Flat Bar	40	x	4.5		1.41	X			
Mild Steel Flat Bar	40	x	5		1.57	X			
Mild Steel Flat Bar	40	x	6		1.88	X			
Mild Steel Flat Bar	40	x	8		2.51	X			
Mild Steel Flat Bar	40	x	10		3.14	X			
Mild Steel Flat Bar	40	x	12		3.77	X			
Mild Steel Flat Bar	40	x	16		5.02	X			
Mild Steel Flat Bar	40	x	20		6.28	X			
Mild Steel Flat Bar	40	x	25		7.85	X			
Mild Steel Flat Bar	47.6	x	5		1.87	X			
Mild Steel Flat Bar	50	x	3		1.21	X			
Mild Steel Flat Bar	50	x	5		1.96	X			
Mild Steel Flat Bar	50	x	6		2.36	X			
Mild Steel Flat Bar	50	x	8		3.14	X			
Mild Steel Flat Bar	50	x	10		3.93	X			
Mild Steel Flat Bar	50	x	12		4.71	X			
Mild Steel Flat Bar	50	x	16		6.28	X			
Mild Steel Flat Bar	50	x	20		7.85	X			
Mild Steel Flat Bar	50	x	25		9.81	X			
Mild Steel Flat Bar	60	x	6		2.83	X			
Mild Steel Flat Bar	60	x	8		3.77	X			
Mild Steel Flat Bar	60	x	10		4.71	X			
Mild Steel Flat Bar	60	x	12		5.65	X			
Mild Steel Flat Bar	60	x	16		7.54	X			
Mild Steel Flat Bar	60	x	20		9.42	X			
Mild Steel Flat Bar	65	x	6		3.06	X			
Mild Steel Flat Bar	65	x	8		4.08	X			
Mild Steel Flat Bar	65	x	10		5.10	X			
Mild Steel Flat Bar	65	x	12		6.12	X			
Mild Steel Flat Bar	70	x	6		3.30	X			
Mild Steel Flat Bar	70	x	8		4.40	X			
Mild Steel Flat Bar	70	x	10		5.50	X			
Mild Steel Flat Bar	70	x	12		6.59	X			
Mild Steel Flat Bar	70	x	16		8.79	X			
Mild Steel Flat Bar	70	x	20		10.99	*	X		
Mild Steel Flat Bar	80	x	6		3.77	X			
Mild Steel Flat Bar	80	x	8		5.02	X			
Mild Steel Flat Bar	80	x	10		6.28	X			
Mild Steel Flat Bar	80	x	12		7.54	X			
Mild Steel Flat Bar	80	x	16		10.05	X			
Mild Steel Flat Bar	80	x	20		12.56	X			
Mild Steel Flat Bar	80	x	25		15.70	X			
Mild Steel Flat Bar	80	x	40		25.12	X			
Mild Steel Flat Bar	90	x	6		4.24	X			
Mild Steel Flat Bar	90	x	8		5.65	X			
Mild Steel Flat Bar	90	x	10		7.07	X			
Mild Steel Flat Bar	90	x	12		8.48	X			

DESCRIPTION	DIMENSIONS					MASS PER METRE	Lengths			
							Available (see note)			
							6	9	11	13
Metres										
Mild Steel Flat Bar	90	x	25			17.66	X			
BS EN10025-2-S355 JR Flat Bar	100	x	6			4.71	X			
BS EN10025-2-S355 JR Flat Bar	100	x	8			6.28	X			
BS EN10025-2-S355 JR Flat Bar	100	x	10			7.85	X			
BS EN10025-2-S355 JR Flat Bar	100	x	12			9.42	X			
BS EN10025-2-S355 JR Flat Bar	100	x	16			12.56	X			
BS EN10025-2-S355 JR Flat Bar	100	x	20			15.70	X			
BS EN10025-2-S355 JR Flat Bar	100	x	25			19.63	X			
BS EN10025-2-S355 JR Flat Bar	100	x	30			23.55	X			
BS EN10025-2-S355 JR Flat Bar	100	x	40			31.40	X			
BS EN10025-2-S355 JR Flat Bar	100	x	50			39.25	*	X		
BS EN10025-2-S355 JR Flat Bar	110	x	6			5.18	X			
BS EN10025-2-S355 JR Flat Bar	110	x	10			8.64	X			
BS EN10025-2-S355 JR Flat Bar	110	x	12			10.36	X			
BS EN10025-2-S355 JR Flat Bar	130	x	8			8.16	X			
BS EN10025-2-S355 JR Flat Bar	130	x	10			10.21	X			
BS EN10025-2-S355 JR Flat Bar	130	x	12			12.25	X			
BS EN10025-2-S355 JR Flat Bar	130	x	16			16.33	X			
BS EN10025-2-S355 JR Flat Bar	130	x	20			20.41	X			
BS EN10025-2-S355 JR Flat Bar	130	x	25			25.51	X			
BS EN10025-2-S355 JR Flat Bar	150	x	8			9.42	X			
BS EN10025-2-S355 JR Flat Bar	150	x	10			11.78	X			
BS EN10025-2-S355 JR Flat Bar	150	x	12			14.13	X			
BS EN10025-2-S355 JR Flat Bar	150	x	16			18.84	X			
BS EN10025-2-S355 JR Flat Bar	150	x	20			23.55	X			
BS EN10025-2-S355 JR Flat Bar	150	x	25			29.44	X			
BS EN10025-2-S355 JR Flat Bar	180	x	10			14.13		X		
BS EN10025-2-S355 JR Flat Bar	180	x	12			16.96	*	X		
BS EN10025-2-S355 JR Flat Bar	180	x	16			22.61	*	X		
BS EN10025-2-S355 JR Flat Bar	180	x	20			28.26	*			X
BS EN10025-2-S355 JR Flat Bar	180	x	25			35.33	*			
BS EN10025-2-S355 JR Flat Bar	200	x	10			15.70		X		
BS EN10025-2-S355 JR Flat Bar	200	x	12			18.84		X		
BS EN10025-2-S355 JR Flat Bar	200	x	16			25.12		X		X
BS EN10025-2-S355 JR Flat Bar	200	x	20			31.40		X		X
BS EN10025-2-S355 JR Flat Bar	200	x	25			39.25		X		
BS EN10025-2-S355 JR Flat Bar	250	x	10			19.60		X		
BS EN10025-2-S355 JR Flat Bar	250	x	12			23.60		X		
BS EN10025-2-S355 JR Flat Bar	250	x	16			31.40		X		X
BS EN10025-2-S355 JR Flat Bar	250	x	20			39.25		X		X
BS EN10025-2-S355 JR Flat Bar	250	x	25			49.06				X
BS EN10025-2-S355 JR Flat Bar	250	x	30			58.88	*			X
BS EN10025-2-S355 JR Flat Bar	300	x	10			23.60		X		
BS EN10025-2-S355 JR Flat Bar	300	x	12			28.30		X		
55C Flat Bar	100	x	12			9.42				X
55C Flat Bar	100	x	16			12.56				X
55C Flat Bar	100	x	20			15.70				X
55C Flat Bar	130	x	12			12.25				X
55C Flat Bar	130	x	16			16.33				X
55C Flat Bar	130	x	20			20.41				X
Mild Steel Angles	25	x	25	x	2.0	0.77	*	X		
Mild Steel Angles	25	x	25	x	2.5	0.95	*	X		
Mild Steel Angles	25	x	25	x	3	1.11		X		
Mild Steel Angles	25	x	25	x	5	1.77		X		
Mild Steel Angles	30	x	30	x	2.0	0.95	*	X		
Mild Steel Angles	30	x	30	x	2.5	1.17	*X			
Mild Steel Angles	30	x	30	x	3	1.36		X		
Mild Steel Angles	30	x	30	x	5	2.18		X		
Mild Steel Angles	40	x	40	x	2.0	1.29	*	X		
Mild Steel Angles	40	x	40	x	2.5	1.58	*	X		
Mild Steel Angles	40	x	40	x	3	1.87		X	X	X
Mild Steel Angles	40	x	40	x	4	2.42				X
Mild Steel Angles	40	x	40	x	5	2.97		X		X
Mild Steel Angles	40	x	40	x	6	3.52		X		
Mild Steel Angles	45	x	45	x	3	2.13		X		X
Mild Steel Angles	45	x	45	x	4	2.74	*			
Mild Steel Angles	45	x	45	x	5	3.38		X		X
BS EN10025-2-S355 JR Angles	50	x	50	x	3	2.37		X		X

DESCRIPTION	DIMENSIONS					MASS PER METRE	Lengths			
							Available (see note)			
							6	9	11	13
Metres										
BS EN10025-2-S355 JR Angles	50	x	50	x	4	3.06				X
BS EN10025-2-S355 JR Angles	50	x	50	x	5	3.77	X	X	X	X
BS EN10025-2-S355 JR Angles	50	x	50	x	6	4.47	X	X	X	X
BS EN10025-2-S355 JR Angles	50	x	50	x	8	5.82	X			X
BS EN10025-2-S355 JR Angles	60	x	60	x	4	3.70				X
BS EN10025-2-S355 JR Angles	60	x	60	x	5	4.57	X	X	X	X
BS EN10025-2-S355 JR Angles	60	x	60	x	6	5.42	X	X	X	X
BS EN10025-2-S355 JR Angles	60	x	60	x	8	7.09	X	X		X
BS EN10025-2-S355 JR Angles	60	x	60	x	10	8.69	X			
BS EN10025-2-S355 JR Angles	70	x	70	x	6	6.38	X	X	X	X
BS EN10025-2-S355 JR Angles	70	x	70	x	8	8.36	X	X		X
BS EN10025-2-S355 JR Angles	70	x	70	x	10	10.27	X			X
BS EN10025-2-S355 JR Angles	80	x	80	x	6	7.34	X	X	X	X
BS EN10025-2-S355 JR Angles	80	x	80	x	8	9.63	X	X	X	X
BS EN10025-2-S355 JR Angles	80	x	80	x	10	11.86	X	X		X
BS EN10025-2-S355 JR Angles	80	x	80	x	12	14.03				X
BS EN10025-2-S355 JR Angles	90	x	90	x	6	8.30		X	X	X
BS EN10025-2-S355 JR Angles	90	x	90	x	8	10.90	X	X	X	X
BS EN10025-2-S355 JR Angles	90	x	90	x	10	13.45		X		X
BS EN10025-2-S355 JR Angles	90	x	90	x	12	15.93				X
BS EN10025-2-S355 JR Angles	100	x	100	x	8	12.18	X	X	X	X
BS EN10025-2-S355 JR Angles	100	x	100	x	10	15.04	X	X	X	X
BS EN10025-2-S355 JR Angles	100	x	100	x	12	17.83		X		X
BS EN10025-2-S355 JR Angles	120	x	120	x	8	14.71		X	X	X
BS EN10025-2-S355 JR Angles	120	x	120	x	10	18.20		X	X	X
BS EN10025-2-S355 JR Angles	120	x	120	x	12	21.62		X		X
BS EN10025-2-S355 JR Angles	120	x	120	x	15	26.64				X
BS EN10025-2-S355 JR Angles	150	x	150	x	10	22.98		X		X
BS EN10025-2-S355 JR Angles	150	x	150	x	12	27.35		X		X
BS EN10025-2-S355 JR Angles	150	x	150	x	15	33.77	X	X		X
BS EN10025-2-S355 JR Angles	150	x	150	x	18	40.06				X
BS EN10025-2-S355 JR Angles	200	x	200	x	16	48.50		X	X	X
BS EN10025-2-S355 JR Angles	200	x	200	x	18	54.20				X
BS EN10025-2-S355 JR Angles	200	x	200	x	20	59.90				X
BS EN10025-2-S355 JR Unequal Angles	65	x	50	x	6	5.16		X		X
BS EN10025-2-S355 JR Unequal Angles	65	x	50	x	8	6.75				X
BS EN10025-2-S355 JR Unequal Angles	75	x	50	x	6	5.65	X	X		X
BS EN10025-2-S355 JR Unequal Angles	75	x	50	x	8	7.39		X		X
BS EN10025-2-S355 JR Unequal Angles	80	x	60	x	6	6.37		X		X
BS EN10025-2-S355 JR Unequal Angles	80	x	60	x	8	8.34		X		X
BS EN10025-2-S355 JR Unequal Angles	90	x	65	x	6	7.07		X		X
BS EN10025-2-S355 JR Unequal Angles	90	x	65	x	8	9.29		X		X
BS EN10025-2-S355 JR Unequal Angles	90	x	65	x	10	11.40				X
BS EN10025-2-S355 JR Unequal Angles	100	x	65	x	8	9.94		X		X
BS EN10025-2-S355 JR Unequal Angles	100	x	65	x	10	12.30				X
BS EN10025-2-S355 JR Unequal Angles	100	x	75	x	6	8.04		X	X	X
BS EN10025-2-S355 JR Unequal Angles	100	x	75	x	8	10.57		X	X	X
BS EN10025-2-S355 JR Unequal Angles	100	x	75	x	10	13.04		X		X
BS EN10025-2-S355 JR Unequal Angles	100	x	75	x	12	15.44	*			
BS EN10025-2-S355 JR Unequal Angles	125	x	75	x	8	12.16		X	X	X
BS EN10025-2-S355 JR Unequal Angles	125	x	75	x	10	15.02		X		X
BS EN10025-2-S355 JR Unequal Angles	125	x	75	x	12	17.81				X
BS EN10025-2-S355 JR Unequal Angles	150	x	75	x	10	16.98		X		X
BS EN10025-2-S355 JR Unequal Angles	150	x	75	x	12	20.17				X
BS EN10025-2-S355 JR Unequal Angles	150	x	75	x	15	24.83	*			
BS EN10025-2-S355 JR Unequal Angles	150	x	90	x	10	18.18		X	X	X
BS EN10025-2-S355 JR Unequal Angles	150	x	90	x	12	21.60				X
BS EN10025-2-S355 JR Unequal Angles	150	x	90	x	15	26.62				X
MILD STEEL CHANNELS (Supalite)	100	x	50			8.88	X		X	X
BS EN10025-2-S355 JR Channels (Light)	76	x	38			5.70	*\$	X	X	X
BS EN10025-2-S355 JR Channels	57	x	51			6.84	X			
BS EN10025-2-S355 JR Channels	76	x	38			6.70	X	X		X
BS EN10025-2-S355 JR Channels	100	x	50			10.73	X	X		X
BS EN10025-2-S355 JR Channels	120	x	55			13.55	X	X	X	X
BS EN10025-2-S355 JR Channels	127	x	64			14.93	X	X		X
BS EN10025-2-S355 JR Channels	140	x	60			16.22	X	X	X	X
BS EN10025-2-S355 JR Channels	152	x	76			17.91	X	X	X	X
BS EN10025-2-S355 JR Channels	160	x	65			19.12	X	X	X	X

DESCRIPTION	DIMENSIONS				MASS PER METRE	Lengths			
						Available (see note)			
						6	9	11	13
BS EN10025-2-S355 JR Channels	178	x	54		14.55	X	X	X	X
BS EN10025-2-S355 JR Channels	180	x	70		22.27	X	X		X
BS EN10025-2-S355 JR Channels	200	x	75		25.30		X	X	X
BS EN10025-2-S355 JR Channels	200	x	75		25.30	&	for 6 m length only		
BS EN10025-2-S355 JR Parallel Flange Channels	100	x	50		10.10		X	X	X
BS EN10025-2-S355 JR Parallel Flange Channels	180	x	70		21.07			X	X
BS EN10025-2-S355 JR Parallel Flange Channels	200	x	75		24.29		X	X	X
BS EN10025-2-S355 JR Parallel Flange Channels	230	x	90		32.20			X	X
BS EN10025-2-S355 JR Parallel Flange Channels	260	x	90		34.80			X	X
BS EN10025-2-S355 JR Parallel Flange Channels	300	x	100		45.40			X	X
BS EN10025-2-S355 JR Parallel Flange Channels	300	x	100		45.40	&	for 6 m length only		
BS EN10025-2-S355 JR Joist	203	x	152		52.30			X	X
BS EN10025-2-S355 JR Joist	203	x	152		52.30	&	for 6 m length only		
BS EN10025-2-S355 JR IPE Section	100	x	55		8.10			X	X
BS EN10025-2-S355 JR IPE Section	120	x	64		10.37			X	X
BS EN10025-2-S355 JR IPE Section	140	x	73		12.89			X	X
BS EN10025-2-S355 JR IPE Section	160	x	82		15.77			X	X
BS EN10025-2-S355 JR IPE Section	180	x	91		18.80			X	X
BS EN10025-2-S355 JR IPE Section	200	x	100		22.36			X	X
BS EN10025-2-S355 JR IPE (AA) Section	100	x	55		6.72			X	X
BS EN10025-2-S355 JR IPE (AA) Section	120	x	64		8.36			X	X
BS EN10025-2-S355 JR IPE (AA) Section	140	x	73		10.05			X	X
BS EN10025-2-S355 JR IPE (AA) Section	160	x	82		12.32			X	X
BS EN10025-2-S355 JR IPE (AA) Section	180	x	91		14.94			X	X
BS EN10025-2-S355 JR IPE (AA) Section	200	x	100		17.95			X	X
BS EN10025-2-S355 JR Columns	152	x	152		23.00			X	X
BS EN10025-2-S355 JR Columns	152	x	152		23.00	&	for 6 m length only		
BS EN10025-2-S355 JR Columns	152	x	152		30.00			X	X
BS EN10025-2-S355 JR Columns	152	x	152		37.00			X	X
BS EN10025-2-S355 JR Columns	203	x	203		46.10			X	X
BS EN10025-2-S355 JR Columns	203	x	203		46.10		for 6 m length only		
BS EN10025-2-S355 JR Columns	203	x	203		52.00			X	X
BS EN10025-2-S355 JR Columns	203	x	203		60.00			X	X
BS EN10025-2-S355 JR Columns	203	x	203		71.00				X
BS EN10025-2-S355 JR Columns	203	x	203		86.10				X
BS EN10025-2-S355 JR Columns	254	x	254		73.10			X	X
BS EN10025-2-S355 JR Columns	254	x	254		88.90			X	X
BS EN10025-2-S355 JR Columns	254	x	254		107.10				X
BS EN10025-2-S355 JR Columns	254	x	254		132.00				X
BS EN10025-2-S355 JR Columns	254	x	254		167.10	*			X
BS EN10025-2-S355 JR Columns	305	x	305		96.90			X	X
BS EN10025-2-S355 JR Columns	305	x	305		117.90			X	X
BS EN10025-2-S355 JR Columns	305	x	305		136.90				X
BS EN10025-2-S355 JR Columns	305	x	305		158.10			X	X
BS EN10025-2-S355 JR Columns	305	x	305		198.10	*			X
BS EN10025-2-S355 JR Columns	305	x	305		240.00	*			X
BS EN10025-2-S355 JR Beams	203	x	133		25.10			X	X
BS EN10025-2-S355 JR Beams	203	x	133		25.10	&	for 6 m length only		
BS EN10025-2-S355 JR Beams	203	x	133		30.00			X	X
BS EN10025-2-S355 JR Beams	254	x	146		31.10			X	X
BS EN10025-2-S355 JR Beams	254	x	146		31.10	&	for 6 m length only		
BS EN10025-2-S355 JR Beams	254	x	146		37.00			X	X
BS EN10025-2-S355 JR Beams	254	x	146		43.00			X	X
BS EN10025-2-S355 JR Beams	305	x	102		24.80			X	X
BS EN10025-2-S355 JR Beams	305	x	102		28.20			X	X
BS EN10025-2-S355 JR Beams	305	x	102		32.80			X	X
BS EN10025-2-S355 JR Beams	305	x	102		32.80	*	for 6 m length only		
BS EN10025-2-S355 JR Beams	305	x	165		40.30			X	X
BS EN10025-2-S355 JR Beams	305	x	165		40.30	*	for 6 m length only		
BS EN10025-2-S355 JR Beams	305	x	165		46.10			X	X
BS EN10025-2-S355 JR Beams	305	x	165		54.00			X	X
BS EN10025-2-S355 JR Beams	356	x	171		45.00			X	X
BS EN10025-2-S355 JR Beams	356	x	171		51.00			X	X
BS EN10025-2-S355 JR Beams	356	x	171		57.00			X	X
BS EN10025-2-S355 JR Beams	356	x	171		67.10			X	X
BS EN10025-2-S355 JR Beams	406	x	140		39.00			X	X
BS EN10025-2-S355 JR Beams	406	x	140		39.00	*	for 6 m length only		
BS EN10025-2-S355 JR Beams	406	x	140		46.00			X	X

DESCRIPTION	DIMENSIONS				MASS PER METRE	Lengths				
						Available (see note)				
						6	9	11	13	
BS EN10025-2-S355 JR Beams	406	x	140		46.00	*	for 6 m length only			
BS EN10025-2-S355 JR Beams	406	x	178		54.10		X	X	X	X
BS EN10025-2-S355 JR Beams	406	x	178		54.10	*	for 6 m length only			
BS EN10025-2-S355 JR Beams	406	x	178		60.10		X	X	X	X
BS EN10025-2-S355 JR Beams	406	x	178		67.10		X	X	X	X
BS EN10025-2-S355 JR Beams	406	x	178		74.20		X			X
BS EN10025-2-S355 JR Beams	457	x	191		67.10		X	X	X	X
BS EN10025-2-S355 JR Beams	457	x	191		74.30		X	X	X	X
BS EN10025-2-S355 JR Beams	457	x	191		82.00		X			X
BS EN10025-2-S355 JR Beams	457	x	191		89.30				X	X
BS EN10025-2-S355 JR Beams	457	x	191		98.30				X	X
BS EN10025-2-S355 JR Beams	533	x	210		82.20		X	X	X	X
BS EN10025-2-S355 JR Beams	533	x	210		82.20	*	for 6 m length only			
BS EN10025-2-S355 JR Beams	533	x	210		92.10		X	X	X	X
BS EN10025-2-S355 JR Beams	533	x	210		101.00					X
BS EN10025-2-S355 JR Beams	533	x	210		101.00	*	for 6 m length only			
BS EN10025-2-S355 JR Beams	533	x	210		109.00			X	X	X
BS EN10025-2-S355 JR Beams	533	x	210		122.00		X			X
Mild Steel Round Bar	6.0				0.22		X			
Mild Steel Round Bar	8.0				0.40		X			
Mild Steel Round Bar	10				0.62		X			
Mild Steel Round Bar	12				0.89		X			
Mild Steel Round Bar	14				1.21	*				
Mild Steel Round Bar	16				1.58		X			
Mild Steel Round Bar	20				2.47		X			
Mild Steel Round Bar	22				2.98	*	X			
Mild Steel Round Bar	24				3.55		X			
Mild Steel Round Bar	25				3.85		X			
Mild Steel Round Bar	27				4.50	*	X			
Mild Steel Round Bar	32				6.31		X			
Mild Steel Round Bar	35				7.55		X			
Mild Steel Round Bar	36				7.99	*	X			
Mild Steel Round Bar	38				8.90	*	X			
Mild Steel Round Bar	40				9.87		X			
BS EN10025-2-S355 JR Round Bar	30				5.55	*	X			
BS EN10025-2-S355 JR Round Bar	36				7.99		X			
BS EN10025-2-S355 JR Round Bar	40				9.87	*\$	X			
BS EN10025-2-S355 JR Round Bar	45				12.49		X			
BS EN10025-2-S355 JR Round Bar	50				15.41		X			
BS EN10025-2-S355 JR Round Bar	55				18.65	*				
BS EN10025-2-S355 JR Round Bar	60				22.20		X			
BS EN10025-2-S355 JR Round Bar	65				26.05		X			
BS EN10025-2-S355 JR Round Bar	70				30.21	*				
BS EN10025-2-S355 JR Round Bar	75				34.68	*				
BS EN10025-2-S355 JR Round Bar	80				39.46	*				
BS EN10025-2-S355 JR Round Bar	90				49.94	*				
BS EN10025-2-S355 JR Round Bar	95				55.64	*				
BS EN10025-2-S355 JR Round Bar	100				61.65	*				
BS EN10025-2-S355 JR Round Bar	103				65.41	*				
Reinforcing HT Round Bar	6				0.22	*	X			
Reinforcing HT Round Bar	8				0.40	*	X			
Reinforcing HT Round Bar	10				0.62		X			
Reinforcing HT Round Bar	12				0.89		X			X
Reinforcing HT Round Bar	16				1.58					X
Reinforcing HT Round Bar	20				2.47					X
Reinforcing HT Round Bar	25				3.85					X
Reinforcing HT Round Bar	32				6.31	*				
Reinforcing HT Round Bar	40				9.86	*				
Mild Steel Square Bar	8				0.50	*	Discontinued			
Mild Steel Square Bar	10				0.79		X			
Mild Steel Square Bar	12				1.13		X			
Mild Steel Square Bar	16				2.01		X			
Mild Steel Square Bar	20				3.14		X			
Mild Steel Square Bar	35				9.62	*				
Mild Steel Square Bar	40				12.60		X			
Mild Steel Square Bar	45				15.90	*				
Mild Steel Square Bar	50				19.60		X			
BS EN10025-2-S355 JR Square Bar	55				23.80	*				

DESCRIPTION	DIMENSIONS				MASS PER METRE	Lengths			
						Available (see note)			
						6	9	11	13
BS EN10025-2-S355 JR Square Bar	60				28.30	X			
BS EN10025-2-S355 JR Square Bar	65				33.20	*			
BS EN10025-2-S355 JR Square Bar	70				38.50	X			
BS EN10025-2-S355 JR Square Bar	75				44.20	X			
BS EN10025-2-S355 JR Square Bar	100				78.50				
BS EN10025-2-S355 JR Square Bar	105				86.60	*			
BS EN10025-2-S355 JR Square Bar	150				177.00	*			
Drilled Rails	15				14.91	7.5 Metres			
Drilled Rails	22				22.54	9 Metres			
Drilled Rails	30				30.15	9 Metres			
Drilled Rails	40				40.30	*			
Drilled Rails	48				47.60	*			
Drilled Rails	57				57.40	*			

or the "standard" lengths may
change, depending on demand.

still be obtainable. x
This is a newly introduced Plate
quality and availability must be checked. &
6m length Surcharge applies